

Pond Pumps  
 Pond Filtration  
 Pond Aeration  
 Pond Accessories  
 Koi Accessories



**For a successful  
 Koi and Fish pond!**



## Everything you need for a successful and affordable fish and Koi pond

**Make your pond hobby a success with SuperFish. For over 30 years we have grown and sold Koi and pond fish. Using this experience we have developed a comprehensive range of pond care products that offer excellent reliability, efficiency, quality and value.**

**It's our goal to make your fish and Koi hobby successful and affordable.**

Contents	Page
<b>Pond filters</b>	<b>2</b>
<b>Filter media</b>	<b>8</b>
<b>Pond pumps</b>	<b>10</b>
<b>Algae control</b>	<b>16</b>
<b>Aeration</b>	<b>19</b>
<b>Koi accessories</b>	<b>22</b>
<b>Pond plant accessories</b>	<b>24</b>
<b>Waterfalls</b>	<b>25</b>
<b>Pond accessories</b>	<b>26</b>
<b>Protection</b>	<b>28</b>

## The correct filter for a clear and healthy pond


*Using the correct filter is essential for clean pond water and a healthy environment for its inhabitants. The filter will filtrate and transform waste. The filtration takes place in the mechanical part of the filter, here the coarse dirt particles are filtered out. In the biological filter section, the harmful substances are converted by bacteria into plant food.*

*Filters are available in many sizes and different types. Which filter is most suitable depends on the situation.*

**The following factors determine which filter is most suitable:**

- The number of fish in the pond determines the size of filter required. The greater the number of fish results in more waste therefore the filter needs to be larger.
- When the pond is situated in a sunny area or it's a shallow pond, then also a bigger filter is needed.
- The volume of water in the pond – a larger pond requires a different filter than a smaller pond.
- Is the pond for Koi, fish or plants or is it a combination? Plants help keep ponds in balance by helping to break down waste.
- A pond filter and pump must be in operation 24 hours a day, if possible 12 months per year. Only in danger of freezing turn the pump and filter off and clean immediately.

## The biological equilibrium in the pond





# Pond Filters

## SuperFish Pond Clear Kit 3000

Complete biological pond filter with built-in UVC for small ponds up to 3,000 litres. Also available as a complete Kit including an energy-efficient Pond-Flow ECO 1000 pond pump.

- Large filter chamber with filter and Bio-Balls for biological filtration.
- The UVC-unit is built into the lid and ensures a clear pond within a fortnight and is easy to maintain.
- 2-year warranty.



## SuperFish Pond Clear filters


Complete biological pond filter for small up to medium sized fish and plant ponds. Two filter chambers with filter media and a built-in UVC for a clear pond within a fortnight.

- The UVC-unit is built into the lid.
- Equipped with filter brushes in the first filter chamber.
- Biological filtration in the second chamber through filter foam and Bio-Balls.
- 2-year warranty.



### Pond Clear Sponge replace set

Art.	Model
06020217	Pond Clear 3000 Replace foam 3 pcs
06020215	Pond Clear 6000 Replace foam 3 pcs
06020220	Pond Clear 12000 Replace foam 2 pcs
06020225	Pond Clear 6000 Carbon foam
06020230	Pond Clear 12000 Carbon foam
06020223	Pond Clear Bio Ball 25 pcs



### Pond Clear Outlet connection accessories

Art.	Model
08083075	PondClear Pipe 1.5 m + Knee 90° - Ø 63 mm
08083080	PondClear Pipe 1.5 m + Knee 90° - Ø 75 mm
08083085	PondClear Outlet Hose connection Ø 63 - 50 mm
08083090	PondClear Outlet Hose connection Ø 75 - 50 mm

### Technical specifications

Art.	Model	Max pond content	Pump cap.	UVC	Inlet	Outlet	Size
06020200	Pond Clear 3000 UVC 5W	3,000 L	1,000 L/h	5 Watt	25/32/40 mm	32 mm	37x24x24 cm
06020232	Pond Clear Kit 3000	3,000 L	1,000 L/h	5 Watt	25/32/40 mm	32 mm	37x24x24 cm
06020205	Pond Clear 6000 UVC 7W	6,000 L	5,000 L/h	7 Watt	25/32/40 mm	63 mm	37x27x40 cm
06020210	Pond Clear 12000 UVC 13W	12,000 L	10,000 L/h	13 Watt	25/32/40 mm	75 mm	55x38x43 cm

### UV replacement lamps suitable for SuperFish Pond Clear Filters

06011005	SF UV PL-lamp 5 Watt (Pond Clear Kit 3000)
06011010	SF UV PL-lamp 7 Watt (Pond Clear 6000 Filter)
06011015	SF UV PL-lamp 9 Watt (Pond Clear 12000 Filter)



G23  
G23  
G23

# Pond filters



## SuperFish TopClear

Unique 3-step pond pressure filter.

- 1: Filter foam provides the mechanical filtering.
- 2: Bacteria in the Bio-Balls provide the biological purification.
- 3: Built-in UVC provides control of algae and works to prevent against diseases.

- All connections are on top of the lid. So the filter can be placed everywhere, invisible, beside, under or near the pond.
- A pressure filter can be placed even below the water level.
- Auto Clean Wash: backwash system for simple filter cleaning (just let the dirty water drain away).
- 2-year warranty.



Built-in UVC, clarifies your pond water within a fortnight.



Auto Clean Wash, for easy cleaning of your filter.



The TopClear filter can be placed almost anywhere, even below the water level.



## TopClear Kit

All TopClear filters are also available with a matching Pond-Flow pump as a complete 3-in-1 kit.


### UV replacement lamps suitable for SuperFish TopClear Filters

06011010	SF UV PL-lamp 7 Watt (TopClear 5000)	G23
06011015	SF UV PL-lamp 9 Watt (TopClear 10000)	G23
06011020	SF UV PL-lamp 11 Watt (TopClear 15000)	G23



### TopClear Sponge replace set

Art.	Model
06020625	TopClear 5000
06020630	TopClear 10000
06020635	TopClear 15000



### Technical specifications

Art.	Model	Max pond content	Pump cap.	UVC	Inlet	Outlet	Size
06020130	TopClear 5000	5,000 L	2.500 L/h	7 Watt	14/20/25 mm	14/20/25 mm	34x34x40 cm
06020135	TopClear 10000	10,000 L	3.500 L/h	9 Watt	25/32/40 mm	25/32/40 mm	35x44x46 cm
06020140	TopClear 15000	15,000 L	5.000 L/h	11 Watt	25/32/40 mm	25/32/40 mm	35x44x58 cm
06020145	TopClear Kit 5000	5,000 L	2.000 L/h	7 Watt	14/20/25 mm	14/20/25 mm	34x34x40 cm
06020150	TopClear Kit 10000	10,000 L	2.900 L/h	9 Watt	25/32/40 mm	25/32/40 mm	35x44x46 cm
06020155	TopClear Kit 15000	15,000 L	5.000 L/h	11 Watt	25/32/40 mm	25/32/40 mm	35x44x58 cm





1 2 3 4 5 6 7 8 9 10 11 12 13 14

*Clears your pond within a fortnight*

## SuperFish FlowClear 20000

Biological 3-chamber filter, guarantees the quality of your water and ensures a good biological balance in your pond.

- Filters and clarifies pond water at the same time, ensuring quick results and optimal purification of the water.
- The UVC radiation ensures that bacteria, germs and floating algae have no chance to develop, thereby guaranteeing the clarity of your pond water.



## SuperFish FlowClear 10000

The ideal filter for fish and Koi ponds up to 10,000 litres.

- The filter media includes three sets of Matala filter material, fully open structure filter mats, each with a different size mesh, providing outstanding filtration and optimum bacterial growth area. A cartridge filled with zeolite, a porous material that absorbs ammonia and other harmful substances, helps keep ponds healthy.
- The innovative filter structure means coarse dirt particles sink to the bottom where they are drained via a gate valve for easy cleaning.
- Built-in UVC with PHILIPS lamp combats the growth of floating green algae and clarifies the pond water within 2 weeks. PHILIPS guarantee an operating life of 8,000 hours for the lamp and we provide a 2 year warranty on the electrical components of the UVC unit.




## SuperFish FlowClear 10000 Kit

Also available as a complete FlowClear Kit including a PondEco 5000 pond pump.



### Matala Mat replacement

The filter media, consisting of three sets of Matala mats with different meshes and a very open structure, prevents clogging and assures optimal bacteria growth and outstanding filtration.

FlowClear Matala Mat replacement  
[Art. 06030015]



### UV replacement lamps suitable for SuperFish FlowClear Filters

06011020 SF UV PL-lamp 11 Watt (FlowClear 10000)  G23  
06010085 SF TECH UV TL-T5 40 Watt (FlowClear 20000)  T5

### Technical specifications

Art.	Model	Max pond content	Pump cap.	UVC	Inlet	Outlet	Size
06030010	FlowClear 10000	10,000 L	5,000 L/h	11 Watt	25/32/40 mm	50 mm	55x36x45 cm
06030013	FlowClear Kit 10000	10,000 L	4,800 L/h	11 Watt	25/32/40 mm	50 mm	55x36x45 cm
06030085	FlowClear 20000	20,000 L	10,000 L/h	40 Watt	32 mm	63 mm	100x43x65 cm

# Professional pond filters

## Professional pond filters

Poly Tech Move filters are specially designed for Koi and fish ponds and large water features. A Poly Tech Move filter has the reliability and stability of a multi chamber filter and also offers extremely good biological filtration equivalent to a floating bed filter.



### Air pump and reinforced air hose

*An air pump is necessary for the floating bed filtration. We recommend the Superfish Koi-Flow (see page 20). This should be connected with a 8 mm thick reinforced air hose (10 m) on the Quick-Fit connector.*


SF Air hose reinforced 8 mm x 10 m

[Art. 08060110]


## SuperFish Poly Tech Move advantages:

- Excellent waste separation by the filter brushes in the first filter chamber.
- Stable biofilm, biological balance and water flow down to the use of Japanese matting.
- Excellent ventilation because of the aerated moving bed filter.
- Extremely good biological activity due to the large adhesion surface for bacteria of the "floating bed" medium.
- Easy to clean: just rinse brushes and Japanese mats, while the moving bed portion cleans itself.

*The floating bed filter chamber is on the outside and is provided with a Quick-Fit air hose connection so that a necessary air pump can be connected quickly and easily.*



**Watch our Poly Tech Move video**



### Move Japanese Mat Cartridge


Art.	Model
06040540	Poly Tech Move 30 Japan. mat
06040545	Poly Tech Move 60 Japan. mat
06040550	Poly Tech Move 100 Japan. mat
06040555	Poly Tech Move 200 Japan. mat



## Extremely high biological action by Floating Bed Filtration

Floating Bed Filtration is developed in aquaculture. It consists of knurled plastic rings which are floating in the water, with a very high adhesion surface. These are kept continuously in motion through the use of aeration. The aeration comes from the bottom, so the filter medium is churned up over and over again. Bacterial Cultures will develop very well and after approximately 2 months, the rings are coloured brown by the bacteria.

The system is virtually maintenance free and the biological effect is extremely good.



## AqWise 'floating bed' filter media

AqWise filter media provides 30% better performance than any other floating bed media. Instead of 4 spokes in the rings, it has 8 additional small spokes which increases the effective bacteria adhesion surface by 30%. These small spokes do not run up to the middle. On the outside of the rings there are small holes (spiral wise) so a whirl arises. Because of this, the exchange of the water and the supply of oxygen and nutrient is optimal. Clogging of the media is virtually impossible due to the large self cleaning capacity of the rings.

SF AqWise Floating Bed Filter media - 20 Litre [Art. 08040190]

					
Model Art. nr.	Move 20 06040500	Move 30 06040505	Move 60 06040510	Move 100 06040515	Move 200 06040520
Max. content					
Natural pond	20,000 L	30,000 L	60,000 L	100,000 L	200,000 L
Combi-pond	15,000 L	22,500 L	45,000 L	75,000 L	150,000 L
Koi pond	10,000 L	17,500 L	30,000 L	50,000 L	100,000 L
Max. Pump cap.	5,000 L/h	7,500 L/h	10,000 L/h	12,000 L/h	15,000 L/h
Filter version					
Pump fed	yes	yes	yes	yes	yes
*Gravity	no	no	yes*	yes*	yes*
Chambers	2	3	3	3	3
Size	80x65x65 cm	120x65x65 cm	150x80x75 cm	185x95x90 cm	225x108x100 cm
Connections					
Inlet	25/32/40 mm	25/32/40 mm	50/110 mm	50/110 mm	50/110 mm
Outlet	75 mm	75 mm	110/50 mm	110/50 mm	110/50 mm
Recommended air pump	Koi-Flow 20	Koi-Flow 20	Koi-Flow 30	Koi-Flow 30	Koi-Flow 60

\*The Move 60, 100 and 200 can also be used as a gravity-filter with the supplied coupling piece.

# Filter media

## Filter media in affordable 10 litre bags

It is important that you regularly replace the filter media to maintain optimum performance. Below are the different types and their characteristics.



### Zeolite

Absorbs harmful substances and ammonia from the water to prevent algae growth and poisoning.

SF Zeolite bag 10 L [Art. 08040205]

SF Zeolite bag 25 L [Art. 08040170]



### Lava-Rock

Natural filter media. The coarse structure of Lava-Rock provides outstanding filtration characteristics with optimal biological action.

SF Lava-rock bag 10 L [Art. 08040210]

SF Lava-rock bag 25 L [Art. 08040160]



### Filter Substrate

Filter substrate is highly porous, which gives it a large bacteria adhesion surface and optimal biological action.

SF Substrate Bag 10 L [Art. 08040215]

SF Substrate Bag 25 L [Art. 08040155]



### BioBlocks

Plastic filter media with a large surface area for the growth of beneficial bacteria, easy to clean.

SF BioBlocks bag 10 L [Art. 08040220]

SF BioBlocks bag 25 L [Art. 08040165]



### Bio-Balls

Designed with the largest bacteria adhesion surface, for the best results. Bio-Balls are easy to clean and are indestructible.

SF Bio-Balls bag 10 L [Art. 08040225]



### Filter media bags

Handy bags for filter media.

15x25 cm 2 pieces [Art. 08040057]

35x52 cm Coarse [Art. 08040131]

35x52 cm Fine [Art. 08040059]

50x85 cm Coarse [Art. 08040232]



## High-quality filter media in 10 litre bags

Optimise the performance of your pond filter by using high quality filter media.



### SuperFish Super Activated Carbon

Top-quality filter carbon, phosphate free and guarantees optimal results. Super Activated Carbon filter carbon quickly absorbs dyes and toxic substances from the water without altering the neutral pH. The result is clear, healthy water.

SF Super Activated Carbon [Art. 08040200]



### SuperFish CrystalMax

Extremely porous filter media made from sintered glass, acts like a sponge for micro-organisms. Harmful substances will be decomposed thanks to aerobic (high oxygen) and anaerobic (low oxygen) filter processes. With CrystalMax, you achieve the best performance per litre of filter volume!

SF CrystalMax [Art. 08040240]



### SuperFish Filter wool

Ideal for removing dirt particles and organic contamination. The white cotton wool is fine in texture, the green ones are coarser. Replace filter wool once a month.

Fine 100g [Art. 08040006] - Coarse 100g [Art. 08040021]

Fine 250g [Art. 08040011] - Coarse 250g [Art. 08040026]

Fine 500g [Art. 08040016] - Coarse 500g [Art. 08040031]


### Filterfoam

Suitable for all types of pond filters and available in a range of sizes, filter foam is easy to trim to the right size. Filter foam is easy to clean and should be replaced every year.

Filterfoam 100x10x10 cm [Art. 08020005]

Filterfoam 100x100x2 cm Fine [Art. 08020010] - Coarse [Art. 08020015]

Filterfoam 100 x 100x5 cm Fine [Art. 08020025] - Coarse [Art. 08020030]



Filterfoam 50x50x5 cm

Fine [Art. 08020035]

Coarse [Art. 08020040]

Waved foam 100x50x2 cm

Fine [Art. 08020055]

Coarse [Art. 08020060]



### SuperFish Natural Pond Salt

Special, natural salt without any chemical additives. Pond Salt has a positive effect on the health of your fish and the pond ecosystem. Pond Salt helps prevent fish diseases.

SF Pond Salt 10 L [Art. 08040227]

# Fontain pumps

## The pump is the heart of the pond!

*An efficient and effective pump is just as important as a filter. The pond pump is there to ensure that contaminated water ends up in the filter. You should consider the following when choosing the correct pond pump:*

- The pump capacity should be 50% of the pond volume for optimal cleaning.
- Capacity losses due to hose length, UVC lamp and head.
- For thorough cleaning we recommend using a pump without a pre-filter so that dirt particles get into the filter instead of the pre-filter.
- To maximize the removal of dirt the pump should be placed in the deepest part of the pond.
- For optimum circulation the pump and filter outlet should be placed as far apart as possible.
- If you want a fountain or water bubble buy a separate pump with a pre-filter. These small pumps are very affordable and the fountain doesn't have to spray all day.

### Pond-Flow ECO repl. sponge

- 07060379 Pond-Flow ECO 600 sponge
- 07060380 Pond-Flow ECO 1000 sponge
- 07060385 Pond-Flow ECO 2000 sponge
- 07060390 Pond-Flow ECO 3000 sponge
- 07060395 Pond-Flow ECO 5000 sponge



## SuperFish Aqua-Power Circulation pumps

Aqua-Power pumps are ideal for pumping or circulating water in indoor fountains, water ornaments, biological filters and other applications. SuperFish Aqua-Power circulation pumps are designed for fully submerged use.

## SuperFish Pond-Flow ECO

Energy saving, multi purpose pond pump suitable for use as a fountain or filter pump.

- Available in 5 sizes with different pump capacities (700 L/h, 1,000 L/h, 2,000 L/h, 2,900 L/h and 4,900 L/h).
- Includes 2 different spray heads: a fountain nozzle and a mushroom nozzle, which are easily adjustable in height (Pond-Flow ECO 600 includes a fountain nozzle).
- Adjustable in height and tilt (15°).
- Energy efficient and economical to run.
- Includes a 10 metre power cable.
- 2 year warranty and TÜV approval.



Type Approved  
Safety  
Regular Production  
Surveillance  
[www.tuv.com](http://www.tuv.com)  
ID 2000000000



### Technical specifications

Art.	Model	Max Pump cap.	H.max	Outlet	Power
07060010	Pond-Flow ECO 600	650 L/h	1.2 m	20 mm	8 Watt
07060015	Pond-Flow ECO 1000	1,000 L/h	1.4 m	20/25/32 mm	12 Watt
07060020	Pond-Flow ECO 2000	2,000 L/h	1.9 m	20/25/32 mm	25 Watt
07060025	Pond-Flow ECO 3000	2,900 L/h	2.3 m	20/25/32 mm	45 Watt
07060030	Pond-Flow ECO 5000	4,900 L/h	3.3 m	25/32/40 mm	95 Watt

### Technical specifications

Art.	Model	Max Pump cap.	H.max	Power
A7030873	Aqua-Power 200	200 L/h	0.65 m	3 Watt
A7030878	Aqua-Power 400	380 L/h	0.65 m	7 Watt
A7030883	Aqua-Power 650	690 L/h	1.25 m	10 Watt




# Best value pumps

## SuperFish PondECO

Powerful synchronous pump with an economical price tag.  
This makes the PondECO to a pond pump ideal for all types of ponds.  
Professional quality for the best price!

- 3-year warranty and TÜV approval for quality and safety.
- Pumps large quantities of water with low electricity consumption.
- DCS ceramic drive and gear wheels for minimum wear.
- Vortex blades transport coarse dirt particles up to 8 mm.
- Rotating multi-step hose connection.
- Easy to install and virtually maintenance free.

*This pump is not suitable for dry mounted use.*



Type Approved  
Safety  
Regular Production  
Surveillance  
[www.tuv.com](http://www.tuv.com)  
ID 2000000000



### Technical specifications

Art.	Model	Max Pump cap.	H.max	Outlet	Power
07070145	PondECO 3500	3,600 L/h	2.4 m	25/32/40 mm	45 Watt
07070150	PondECO 5000	4,800 L/h	2.5 m	25/32/40 mm	60 Watt
07070155	PondECO 8000	7,200 L/h	4.0 m	25/32/40 mm	80 Watt
07070160	PondECO 12000	11,300 L/h	4.5 m	25/32/40 mm	155 Watt
07070165	PondECO 15000	14,200 L/h	4.1 m	25/32/40 mm	175 Watt

## SuperFish Pond Skim

SuperFish Pond Skim floats in the pond and sucks dirt such as leaves, dust and algae from the water surface.  
Pond Skim is easy to clean thanks to an easily removable waste basket. For a clear and healthy pond.



Type Approved  
Safety  
Regular Production  
Surveillance  
[www.tuv.com](http://www.tuv.com)  
ID 2000000000



Demo

### Technical specifications

Art.	Model	Pump cap.	Pond size	Power
07060050	Pond Skim 2000	2,000 L/h	25 m <sup>2</sup>	25 Watt
07060060	Pond Skim 3000	3,000 L/h	40 m <sup>2</sup>	40 Watt
07060055	Pond Skim 2000/3000	1000 Replacement sponge		



# Energy saving pond pumps

## SuperFish PondECO Plus E

The most economical electronic filter pump, perfect for water movement and filtration with a low power consumption (approx. 5 Watt per 1,000 L/h).

A pond pump that truly deserves a "green label"! Including a 2 year Pick-up & Replace service for maximum security.

- High water flow output with extremely low energy consumption.
- Suitable for both submerged and dry mounted use.
- Run Dry Protection - when the pump runs dry the pump will stop automatically.
- Multi-step hose connection.
- DCS ceramic drive and gear wheels for minimal wear.
- Vortex blades transport coarse dirt particles up to 6 mm.
- 2-year warranty and TÜV approval.



## SuperFish PondECO Plus RC

Now the PondECO Plus E is also available with remote control for adjusting the pump capacity. With the remote control you can activate and deactivate the pump and set the water flow at the desired level (in 10 steps) and thus save energy.



**PICK UP**



### On-site 48-hour "Pick-up & Replace" service!

If your pump breaks down it can be a major and costly problem. With SuperFish PondECO Plus there's no need to worry. If your pump breaks down we will deliver a new unit within 48 hours free of charge.\*

\*Monday - Friday only.

### Technical specifications

Art.	Model	Max Pump cap.	H.max	Outlet	Power
07070177	PondECO Plus E 3500	3,500 L/h	2.0 m	25/32/40 mm	14 Watt
07070179	PondECO Plus E 5000	5,000 L/h	3.0 m	25/32/40 mm	22 Watt
07070182	PondECO Plus E 8000	7,800 L/h	4.2 m	25/32/40 mm	41 Watt
07070184	PondECO Plus E 10000	9,200 L/h	5.8 m	25/32/40 mm	68 Watt
07070187	PondECO Plus E 12000	11,200 L/h	6.0 m	25/32/40 mm	85 Watt
07070189	PondECO Plus E 15000	15,000 L/h	6.5 m	40/50 mm	130 Watt
07070210	PondECO Plus RC 5000	2,000-5,000 L/h	0,9-3.0 m	25/32/40 mm	6-22 Watt
07070215	PondECO Plus RC 10000	4,500-9,200 L/h	1,6-5.8 m	25/32/40 mm	13-68 Watt
07070220	PondECO Plus RC 15000	8,000-15,000 L/h	2,5-6.5 m	40/50 mm	23-130 Watt



# Pond pumps for large ponds

## SuperFish PondECO Plus

Our strongest pump in the range. Perfect for larger Koi and Fish ponds, Maximum security with 3 years pick up and replace service.

- Moves large volumes of water with minimum energy consumption (approx. 12 watts per 1,000 L/h).
- Easy to install.
- Two outlet options (top and side) with a rotating multi step hose connection.
- Vortex blades and DCS drive and gear.
- Maximum assurance and a trouble-free operation.
- 3-year warranty and TÜV approval.

*This pump is not suitable for dry mounted use.*



Type Approved  
Safety  
Regular Production  
Surveillance  
[www.tuv.com](http://www.tuv.com)  
ID 2000000000



### On-site 48-hour "Pick-up & Replace" service!

If your pump breaks down it can be a major and costly problem. With SuperFish PondECO Plus there's no need to worry. If your pump breaks down we will deliver a new unit within 48 hours free of charge.\*

\*Monday - Friday only.



### Technical specifications

Art.	Model	Max Pump cap.	H.max	Outlet	Power
07070185	PondECO Plus 12000	10,850 L/h	3.4 m	25/32/40 mm	135 Watt
07070190	PondECO Plus 15000	14,800 L/h	4.5 m	25/32/40 mm	157 Watt
07070195	PondECO Plus 20000	18,500 L/h	5.5 m	25/32/40 mm	220 Watt

## SuperFish HighFlow

Professional high flow water pump for large ponds and aquaculture. HighFlow can also be used in large Koi ponds and water features.

- Energy efficient - moves large volumes of water with minimum power consumption.
- DCS ceramic drive and gear wheels for minimum wear.
- Vortex blades transport coarse dirt particles up to 8 mm.
- 110 mm outlet for maximum flow.

### Technical specifications

Art.	Model	Max Pump cap.	H.max	Outlet	Power
07070550	HighFlow 20000	20,000 L/h	2.8 m	110 mm	158 Watt
07070555	HighFlow 30000	30,000 L/h	4.0 m	110 mm	235 Watt
07070560	HighFlow 50000	45,000 L/h	5.5 m	110 mm	398 Watt



# Pump accessories

## SuperFish Spiral hose clamps

Suitable for securing spiral pond hose onto fittings.

Equipped with convenient wing screw.

Spiral pond hose clamps, 2 pcs

Ø 19-22 mm [Art. 08070410]

Ø 24-28 mm [Art. 08070415]

Ø 30-34 mm [Art. 08070420]

Ø 37-42 mm [Art. 08070425]

Ø 47-52 mm [Art. 08070430]



## SuperFish Clamps for reinforced hoses

Suitable for securing pond hose onto fittings.

Stainless Steel. Fitted with a wing nut for easy tightening, a screwdriver is not necessary.

Clamps for reinforced pond hose, 2 pcs

Ø 16-25 mm [Art. 08070450]

Ø 21-38 mm [Art. 08070455]

Ø 27-52 mm [Art. 08070460]



## Spiral pond hose

Special reinforced pond hose, guaranteed kink-proof for connecting pond pumps on filters, waterfalls and figures.

5 m - Ø 20 mm [Art. 08060041]

10 m - Ø 20 mm [Art. 08060042]

5 m - Ø 25 mm [Art. 08060046]

10 m - Ø 25 mm [Art. 08060047]

5 m - Ø 32 mm [Art. 08060051]

10 m - Ø 32 mm [Art. 08060052]

5 m - Ø 40 mm [Art. 08060056]

10 m - Ø 40 mm [Art. 08060057]

5 m - Ø 50 mm [Art. 08060061]

10 m - Ø 50 mm [Art. 08060062]

## Reinforced pond hose

High-quality armoured hose with a smooth inner wall for an easier connection of pond pumps on filters, waterfalls and -figures.

5 m - Ø 25 mm [Art. 08060071]

10 m - Ø 25 mm [Art. 08060072]

5 m - Ø 32 mm [Art. 08060076]

10 m - Ø 32 mm [Art. 08060077]

5 m - Ø 40 mm [Art. 08060081]

10 m - Ø 40 mm [Art. 08060082]

## Pond Multi Connector Kit

Complete set for connecting pond hoses: 5 Multi-step tubes (Ø 20, 25, 32, 40 mm), O-rings, coupling, T-divider and tap.

SF Pond Multi-connector kit [Art. 08086005]

## SuperFish Pump Clean

Pump Clean is a natural acid that effectively dissolves lime deposits and cleans the pump.

Pond pumps should be cleaned periodically to prolong service life and maintain the warranty. Pumps accumulate lime deposits whilst in the pond which can cause algae and dirt to adhere to the pump and your pump and can even crash.

SF Pump Clean [Art. 07070500]



## Professional skimmer


Skimmers skim dirt off the surface of the water. This removes floating contamination, so you always have a clean water surface.

Prof. Skimmer, Black [Art. 08083055]

Prof. Skimmer, Black Large [Art. 08083060]



# Filter accessories



## VDL Professional slide valve

For regulating and shutting off pond water. Thanks to the special construction, dirt is drained perfectly and the valve does not become jammed.

VDL Slide valve

Ø 50 mm [Art. 08082100]    Ø 75 mm [Art. 08082110]    Ø 110 mm [Art. 08082120]  
Ø 63 mm [Art. 08082105]    Ø 90 mm [Art. 08082115]    Ø 160 mm [Art. 08082122]



## Budget slide valve

Affordable slide valves for regulating and shutting off pond water.

Budget Slide valve

Ø 40 mm [Art. 08082199]    Ø 90 mm [Art. 08082202]    Ø 160 mm [Art. 08082210]  
Ø 50 mm [Art. 08082200]    Ø 110 mm [Art. 08082205]




## VDL Ball valve

Valve for regulating and shutting off pond water.

VDL Ball valve

Ø 50 mm [Art. 08082130]    Ø 75 mm [Art. 08082140]    Ø 110 mm [Art. 08082150]  
Ø 63 mm [Art. 08082135]    Ø 90 mm [Art. 08082145]



## Professional pond connector

Tank/Foil connectors for connections, and passing over.

Tank/liner connector prof

Ø 40 mm [Art. 08081000]    Ø 63 mm [Art. 08081010]    Ø 90 mm [Art. 08081020]  
Ø 50 mm [Art. 08081005]    Ø 75 mm [Art. 08081015]    Ø 110 mm [Art. 08081025]



## Budget pond connector

Affordable tank/liner connectors for connections, feedthroughs and overflows.

Tank/liner connector budget

Ø 40 mm [Art. 08085005]    Ø 63 mm [Art. 08085015]    Ø 90 mm [Art. 08085020]  
Ø 50 mm [Art. 08085010]    Ø 75 mm [Art. 08085017]    Ø 110 mm [Art. 08085025]  
Connector Round Ø 110 mm [Art. 08085027]



## Budget tank connector

Affordable feedthroughs for pond liner film and polyester pond liners.

Budget tank connector with screw end

Ø 40 mm [Art. 08085035]    Ø 63 mm [Art. 08085045]    Ø 90 mm [Art. 08085055]  
Ø 50 mm [Art. 08085040]    Ø 75 mm [Art. 08085050]    Ø 110 mm [Art. 08085060]



## Bottom drain

Bottom drains let the water flow into the gravity filter.

Bottom drain

Ø 40 mm [Art. 08084005]    Ø 63 mm [Art. 08084015]    Ø 90 mm [Art. 08084025]  
Ø 50 mm [Art. 08084010]    Ø 75 mm [Art. 08084020]  
Bottom drain Domed, Ø 110 mm [Art. 08083005]

# Algae control

## For crystal clear water!

*Even if the water in the pond has the perfect composition and has a good filter it can still suffer from algae growth.*

*There are several reasons for this:*

- A new filter or a new pond needs time to come into balance. In the meantime, algae can grow.
- When starting up the pond in the spring, after a (too) thorough cleaning of the filter, and at high temperatures, the biological balance becomes disturbed and algae can thrive.
- If plants can't keep up with the production of nutrients by the fish and filter, which is often the case with Koi ponds, floating algae see their opportunity to grow and the pond becomes green and cloudy.

*These floating algae are too small to be filtered out and a UVC should be installed.*

*The pond pump feeds the pond water through the UVC unit where it flows past a special lamp. The UV radiation produced by this lamp kills harmful bacteria and germs and keeps algae growth under control.*



### SuperFish Pond Clear UVC

The Pond Clear UVC combats floating algae and ensures a clear pond within a fortnight. The Pond Clear UVC is available in two versions 9 watts and 18 watts. Suitable for small ponds up to 7,500 litres and medium ponds up to 15,000 litres.

- SuperFish UV PL-lamp (G23 fitting), guaranteed for 8000 operating hours.
- Multi-step hose connection  $\varnothing$  25/32/40 mm.
- Easy to install between the pump and pond filter.
- 2-year warranty and GS approval.

1 2 3 4 5 6 7 8 9 10 11 12 13 14

***Clears your pond within a fortnight***

#### Technical specifications

Art.	Model	Max pond content	Max Pump cap.	In-and Outlet	Lamp	Power
06010130	SF Pond Clear UVC 7500	7,500 L	5,000 L/h	25/32/40 mm	UV PL-lamp (G23)	9 Watt
06010135	SF Pond Clear UVC 15000	15,000 L	10,000 L/h	25/32/40 mm	UV PL-lamp (G23)	18 Watt

#### UV replacement lamps suitable for SuperFish Pond Clear UVC

06011015	SF UV PL-lamp 9 Watt (Pond Clear UVC 7500)	G23
060110140	SF UV PL-lamp 18 Watt (G23 Pond Clear UVC 15000)	G23





## SuperFish ALU Tech UVC

Aluminium UVC suitable for large ponds. Available in two types: Alu Tech 40 Watts for ponds up to 40,000 liters and Alu Tech 75 Watts for ponds up to 75,000 liters. Can be installed with both PVC glue connection 50/63 mm or Multi-step hose connection 40/32/25 mm.

- Aluminium housing reflects UVC radiation.
- Double Head Connection, PVC 50/63 mm and Multi-step connection 40/32/25 mm.
- T5 high output UV-lamp for optimum clarification.
- Guaranteed 8000 operating hours.



## SuperFish Koi Pro UVC

Professional highest quality UVC unit.

- Durable stainless steel, electrolytically polished.
- High output T5 UV-lamp.
- The electronic ballast ensures optimal light yield and increases the operating life of the lamp.
- Longer exposure to higher doses of UVC through the length of the device.
- Double head connection, enabling you to install the UVC device any way you like.
- Both PVC glue connection 50/63 mm and Multi-step hose connection 40/32/25 mm.

### SuperFish UVC Clean

UVC units and quartz glass tube can be cleaned with SuperFish UVC Clean which has been specifically developed for this purpose. The UV lamp in the UVC unit should be replaced every year for optimum performance.

SF UVC Clean [Art. 06010100]

### Technical specifications

Art.	Model	Max pond content	Max Pump cap.	In- and Outlet	Lamp	Power	Reflection
06010120	SF ALU Tech UVC 40 W	40,000 L	20,000 L/h	25/32/40-50/63 mm	High Power T5	40 Watt	Alu
06010125	SF ALU Tech UVC 75 W	75,000 L	20,000 L/h	25/32/40-50/63 mm	High Power T5	75 Watt	Alu
06010240	SF KoiPro UVC 40000 T5 40W	40,000 L	20,000 L/h	25/32/40-50/63 mm	High Power T5	40 Watt	Stainl. steel
06010245	SF KoiPro UVC 75000 T5 75W	75,000 L	20,000 L/h	25/32/40-50/63 mm	High Power T5	75 Watt	Stainl. steel

### UV TL T5 High Output replacement lamps for SuperFish ALU Tech UVC and Koi Pro UVC

06010085	SF TECH UV TL-T5 40 Watt (ALU Tech 40 W)	06010225	KOIPRO UV TL-T5 40 Watt (KoiPro UVC 40000)
06010090	SF TECH UV TL-T5 75 Watt (ALU Tech 75 W)	06010230	KOIPRO UV TL-T5 75 Watt (KoiPro UVC 75000)



# UV lamps

You should replace the UV lamp in your UV unit every year. Although the lamp may still burn, it no longer emits the right UV radiation. Depending on your UVC unit, you will need an PL lamp, a TL T8 lamp, or the latest generation TL T5 lamp. Take the old lamp with you to the shop to ensure that you buy the right replacement. Note: be sure to clean the quartz glass of the unit carefully before installing the new lamp to optimise the light transmission.





## SuperFish UV PL-replacement lamps

Art.	Model	Length	Fitting
06011005	SF UV PL-lamp 5 Watt	100 mm	 G23
06011010	SF UV PL-lamp 7 Watt	140 mm	 G23
06011015	SF UV PL-lamp 9 Watt	165 mm	 G23
06011020	SF UV PL-lamp 11 Watt	225 mm	 G23
06011023	SF UV PL-lamp 13 Watt	225 mm	 G23
06010140	SF UV PL-lamp 18 Watt (G23)	225 mm	 G23
06011025	SF UV PL-lamp 18 Watt (2G11)	215 mm	 2G11
06011030	SF UV PL-lamp 24 Watt	320 mm	 2G11
06011035	SF UV PL-lamp 36 Watt	415 mm	 2G11
06011040	SF UV PL-lamp 55 Watt	535 mm	 2G11


## SuperFish UV TL T5 High Output replacement lamps

Art.	Model	Length	Fitting
06010085	SF TECH UV TL-T5 40 Watt	675 mm	 T5
06010090	SF TECH UV TL-T5 75 Watt	675 mm	 T5


## Koi-Pro UV TL T5 High Output replacement lamps

Art.	Model	Length	Fitting
06010225	KOIPRO UV TL-T5 40 Watt	875 mm	 T5
06010230	KOIPRO UV TL-T5 75 Watt	875 mm	 T5


**Make sure to replace your UV lamp with the right wattage and the right fitting, otherwise the lamp won't fit!**




UV-PL  
G23 Fitting




UV-PL  
2G11 Fitting




SF TECH TL-T5  
40 W Fitting



SF TECH TL-T5  
75 W Fitting



KOIPRO TL-T5  
40 W Fitting



KOIPRO TL-T5  
75 W Fitting



## Oxygen, essential for a healthy pond

*Oxygen is essential for all life in the pond. Plants, bacteria and especially your fish require enough oxygen. An air pump is therefore recommended.*

*During the warmer summer months the higher water temperature in the pond means there is less oxygen available, which can significantly affect fish health. As well as competing for oxygen they also reduce the surface area at which gases can be exchanged. During the winter an air pump keeps an existing ice hole open.*

*When there isn't enough oxygen in the filter it won't work efficiently. Placing an air-stone in the filter will help it to function properly. If the pump stops unexpectedly the bacteria in the filter will stay alive by aeration and movement of water.*

*Which air pump to choose depends on the size of the pond. We have specifically developed a range of air pumps for use in Koi and large ponds. These heavy duty pumps have a high air flow performance and long life. If required wearing parts can be replaced.*



### SuperFish Air-Kit Complete aeration kits for ponds.

- Supplied complete with air hose and 1 or 2 air stones (depending on the type).
- Spare membrane for long lasting use.
- The Air-Kit Mini is ideal as an additional air pump for the filter.



### SuperFish Air-Box Complete aeration kit supplied in a handy box for protection against rain and splashed water.

- Provides fresh oxygen in the water.
- Keeps ponds healthy in the summer and ice-free in the winter.
- Supplied complete with air hose and 1, 2 or 4 air stones.
- Includes spare diaphragm.

#### Technical specifications

Art	Model	L/h	Pressure	Power
07010309	Air-Kit mini	78 L/h	0.015 MPA	1,5 Watt
07010310	Air-Kit 1	96 L/h	0.015 MPA	2 Watt
07010315	Air-Kit 2	240 L/h	0.020 MPA	4 Watt
07010325	Air-Box 1	96 L/h	0.015 MPA	2 Watt
07010330	Air-Box 2	240 L/h	0.020 MPA	4 Watt
07010335	Air-Box 4	600 L/h	0.012 MPA	10 Watt

# Aeration



## SuperFish Koi-Flow

Pond air pump for Koi and large ponds. Available in three different sizes with an output ranging from 20 to 60 liters of air per minute at a low energy consumption. The rugged construction of the air pump ensures that the pump produces little noise and has a long lifespan.

- High air output using minimum power consumption.
- Low noise and long life.
- Includes spare diaphragm.
- 2 year warranty.



## SuperFish AirBlow


Professional pond air pump, specially developed for high air output even at depths up to 3 metres. Suitable for Koi and large ponds as well as breeding, sale and quarantine systems, where many outflow points are required.

- High air output.
- High air pressure.
- Suitable for many air outflow points.
- Includes spare diaphragm.
- 2 year warranty.



## SuperFish Koi-Flow Aeration set

The Koi-Flow air pumps are also available as complete kits with six XXL air stones and 50 m air hose. The air stones allows you to add air in several different places in the pond and pond filter thereby optimising oxygen levels. Available in three different sizes.



## Technical specifications

Art	Model	L/h	Pressure	Power
07010445	Koi-Flow 20	1,200 L/h	0.025 MPA	15 Watt
07010450	Koi-Flow 30	1,800 L/h	0.025 MPA	25 Watt
07010455	Koi-Flow 60	3,600 L/h	0.025 MPA	35 Watt
07010430	Koi-Flow 20 Set	1,200 L/h	0.025 MPA	15 Watt
07010435	Koi-Flow 30 Set	1,800 L/h	0.025 MPA	25 Watt
07010440	Koi-Flow 60 Set	3,600 L/h	0.025 MPA	35 Watt
07020300	Air-Blow 50	3,000 L/h	0.045 MPA	30 Watt
07020305	Air-Blow 100	6,000 L/h	0.040 MPA	88 Watt



# Aeration accessories

Several accessories are available for the aeration of your pond. Such as air stones in various shapes and sizes, air hoses, air distributors and valves.

## SuperFish Air stones

Blue air stones - available in a range of different shapes and sizes and suitable for all types of use.

Air stones gradually become clogged over time due to dirt, etc and should be replaced every year.

SF Air stone Triangle 10 cm

[Art. 08010030]

SF Air stone Triangle 20 cm

[Art. 08010040]

SF Air stone Triangle 30 cm

[Art. 08010047]

SF Air stone XXL 50 mm

[Art. 08010055]



## SuperFish Hi-Oxygen Air stones

Grey Hi-Oxygen air stones – specially treated at very high temperatures these long lasting stones produce very fine air bubbles.

SF Hi-Oxy disk Ø 10 cm [Art. 08010103]

SF Hi-Oxy disk Ø 20 cm [Art. 08010105]

SF Hi-Oxygen Koi airstone 22x4 cm [Art. 08010110]

SF Hi-Oxygen Koi airstone 30x5 cm [Art. 08010115]

SF Hi-Oxy airstone 13x3 cm [Art. 08010120]

SF Hi-Oxy airstone 7x1.5 cm, 2 pcs [Art. 08010125]

SF Hi-Oxy airstone XXL 50 mm [Art. 08010130]



## SuperFish Air accessories

Useful accessories for connecting or trimming air supply and a non-return valve for the safe installation of the pump below water level.

SF Airvalve Blister 2 pcs [Art. A8010056]

SF Air Non Return Valve 2 pcs [Art. A8010062]

SF Air Set [Art. A8010066]



## SuperFish Air LED Disk

Enrich the water in your pond with oxygen and also bring atmosphere in the pond with the colourful LED lights.

SF LED Color Air Disk - Ø 10 cm

[Art. 08010150]

SF LED Color Air Disk - Ø 20 cm

[Art. 08010155]

With the optional SuperFish Twilight Sensor you can switch the Air LED Disk on and off automatically. (See pag. 26).



## SuperFish Air tube

For the connection of the air stones and air pumps.

In transparent white and transparent green or as reinforced hose (8 mm). Available on the roll or in the shop per meter.

SF Air tube Roll 2,5 m [Art. 08060023]

SF Air tube Roll 25 m [Art. 08060025]

SF Air tube Reinforced 8 mm, 10 m [Art. 08060110]



## SuperFish Air taps and air distributors

To distribute the air through several outlets

Made of stainless steel, which will not rust and therefore lasts longer.

SF Air valve 2-way [Art. 08010065]

SF Air valve 3-way [Art. 08010070]

SF Air valve 4-way [Art. 08010075]

SF Air valve 5-way [Art. 08010080]

SF Air screw valve - 3 pcs [Art. 08010085]

SF Air distributor 6-way [Art. 08010090]

SF Air distributor 12-way [Art. 08010095]

SF Air distributor 18-way Art. 08010100



## SuperFish Air-Connector 4-8 mm

Plastic connector for coupling a reinforced air tube (Ø 8 mm) on to a normal air tube (Ø 4 mm).

SF Air Connector 4-8 mm 2 pcs [Art. 07010255]



# Koi accessories

*Feeding pond fish with an automatic feeder has many advantages including getting the most out of the fish by always providing the correct amount of food. This ensures optimal growth and a prettier colour pattern, for example in Koi. Feeding a smaller quantity of food on a regular basis has a beneficial effect on the health of the fish and pond.*



## SuperFish Koi Feeder

Automatic feeder with unique brush dispenser, it will shoot the food into the pond.

- 1 to 4 feedings per day.
- Amount of food is adjustable from 50 to 1400 gram per day.
- Battery operated.
- Use with pellet foods.
- Food capacity up to 10 litres.

SF Koi Feeder [Art. 06090195]



## Professional feeder

With the Professional Feeder Koi can automatically be fed several times per day.

- Automatic feeding between 1 and 24 times a day.
- Quantity can be set per dosing.
- Use with pellet foods (size 2-9 mm).
- Mounting bracket included and 10 metre power cable.

SF Professional Feeder [Art. 06090199]



## Koi Pro Koi bowls

Handy bowls in various sizes for temporarily holding, showing, treating, or transporting fish.

KP Koi Bowl Ø 50 cm [Art. 09060008]

KP Koi Bowl Ø 67 cm [Art. 09060011]

KP Koi Bowl Ø 80 cm [Art. 09060012]

KP Zipcover Bowl 67 cm [Art. 09060030]

KP Zipcover Bowl 80 cm [Art. 09060032]



## SuperFish Flexi bowl

Collapsible bowls are easy to transport and are double layered so no leakage!

SF Flexi bowl 90x60 cm [Art. 09060035]

SF Flexi bowl 120x60 cm [Art. 09060037]

SF Flexi bowl 180x60 cm [Art. 09060050]



## Koi measuring tank

Tanks for easy and accurate measuring of fish and Koi.

Plastic 80 cm [Art. 09060044]

Polyester 100 cm [Art. 09060045]



## Koi Pro Koi nets

Aluminium Koi nets are strong, light-weight and non-rusting.

The round nets have a 2 part handle and a holdall, convenient for storage and transportation. In case of wear, replacement nets are available.

KP Aluminium Koi net round

Ø 60 cm + handle 250 cm [Art. 09050540]

Ø 80 cm + handle 300 cm [Art. 09050545]

Replacement net

KP Alu Koi net Ø 60 cm [Art. 09050515]

KP Alu Koi net Ø 80 cm [Art. 09050525]

## Koi Pro Koi handling net

For catching koi without damaging the fish and with minimum stress to the fish.

You can move the Koi together with the water with the blue Japanese Koi transport net, because most of the fabric is watertight.

KP Koi Handling Net Ø 25, 130 cm [Art. 09050255]

Japan Koi Transport Net Ø 30, length 120 cm [Art. 09050252]



# Filter media Koi

*Keeping Koi makes special demands on the filtration of the pond water. That is why special filter media is available for Koi ponds.*



## Japanese matting

Japanese mats are the best media for Koi filters. Their open structure prevents clogging, and they have an enormous bacteria adhesion surface. Japanese mats are easy to clean and indestructible.

- Faster growth of bacteria.
- Better adhesion for biofilm.
- Faster startup of filters.
- Convenient sizes.

Japanese matting blue 2x1 m [Art. 08020502]

Japanese matting blue 1.2x1 m [Art. 08020510]



## Glafoam Filter media

The best biological filter media from Japan – extremely porous and made from powdered oyster shells and recycled glass.

A special production process yields a very porous material with pores of various sizes to hold oxygen and nutrients that boost filter bacteria growth.

Glafoam 20 L - Medium [Art. 08020550]

Glafoam 20 L - Large [Art. 08020555]



## Koi Pro Filter brush

Brushes are the ideal pre-filter media for large filters.

Long-lasting and easy to clean.

Koi Pro filter brushes are top quality. You can recognise them by the hanger loop and the green/black colour.

KP Filter brush 10x30 cm [Art. 08020600]

KP Filter brush 10x40 cm [Art. 08020605]

KP Filter brush 10x50 cm [Art. 08020610]

KP Filter brush 10x60 cm [Art. 08020615]

KP Filter brush 15x30 cm [Art. 08020620]

KP Filter brush 15x40 cm [Art. 08020625]

KP Filter brush 15x50 cm [Art. 08020630]

KP Filter brush 15x60 cm [Art. 08020635]

KP Filter brush 15x70 cm [Art. 08020640]

KP Filter brush 15x80 cm [Art. 08020645]

KP Filter brush 20x25 cm [Art. 08020650]

KP Filter brush 20x40 cm [Art. 08020655]



## Spawning Brushes

Breeding your own Koi? All you need is a male and at least two female Koi, plus a roomy pond.

Put the spawning brush in the pond, just below the water surface, and then let nature take its course.

The breeding season of Koi is from April to June.

KP Spawning Brushes, 2 pcs [Art. 08060660]



## AqWise Filter media

AqWise is suitable for floating bed filters such as the Poly Tech Move Filter (page 6-7).

It delivers a 30% better performance due to the larger bacteria adhesion surface than any other floating bed media.

SF AqWise, 20 Litre [Art. 08040190]



# Pond plant accessories



## SuperFish Pond substrate

Ideal material for filling plant zones and pond baskets, covering pond bottoms, and use in biological or vegetable filters.

SF Pond Substrate 10 L [Art. 08040140]

SF Pond Substrate 25 L [Art. 08040145]

## Floating Pond basket

Decorative floating basket for plants in the pond.

Fill the basket with substrate and plants and place them in the pond. It offers a shelter or shade for your fish. Also great for koi ponds

SF Floating Pond Basket Ø 22 cm [Art. 06090260]

SF Floating Pond Basket XL Ø 30 cm [Art. 06090267]



## Pond baskets

For pond plants and oxygen plants. These baskets are fine meshed so they can be filled with pond soil without soil leakage.

Pond basket square

11x11 cm [Art. 06090200]

19x19 cm [Art. 06090205]

23x23 cm [Art. 06090210]

28x28 cm [Art. 06090215]

35x35 cm [Art. 06090220]


Pond basket round

Ø 13 cm [Art. 06090230]

Ø 22 cm [Art. 06090235]

Pond basket contour

[Art. 06090225]



## SuperFish Pond basket cloths



Special jute fabric for lining pond baskets to prevent fine pond soil from leaking into the pond water from the basket.

- Packed by 5 pieces.
- 60 x 60 cm.

SF Pond Basket Cloths [Art. 06090355]



# Pond accessories



## SuperFish Deco filters

**Decorative water ornaments to be placed on the edge of the pond, in the shape of an amphora, Carp and Frog.**

It can be used in two ways: As an outlet for your pressure filter, by connecting a hose (ø 40 mm) to the outlet of the pressure filter there's no ugly hose hanging on the pond edge. Or as a mini-filter for smaller ponds, fill the ornament with filter media and connect it to a pump and it works as a simple biological filter.

The removable cover makes it easy to clean the filter. Made from a durable resin, complete with filter sponge and multi-step hose connection (40/32/25 mm).

SF Amphora Filter 36x23,5x24,5 cm [Art. 04043050]

SF Carp Filter 57x27x21 cm [Art. 04043060]

SF Frog Filter 47x26,5x25 cm [Art. 04043065]

## SuperFish Mini-Waterfall Filter

**Basic 20 cm wide waterfall.**

You can easily connect several boxes together. Complete with hose connection and filter sponge (LxBxH 25x20x25 cm).

SF Mini Waterfall Filter [Art. 06080115]



## SuperFish Waterfall Filter

**This handy waterfall brings life in the pond. You can create multiple waterfalls if you place one above another.**

Complete with Multi-step hose adapter, filter media and fixation for pond liners. (35x42x25 cm).

SF Waterfall filter [Art. 06080120]



Ø 57 cm

## SuperFish Mini Waterfall Pond

**Moving water brings life to your garden. Create your own mini water world with plants and the mini pond with waterfall.**

Complete set with pond bowl with overflow (Ø 57 cm x 24 cm), hidden water basin (63x32,5x30 cm), pond hose and pump (1,000 L/h).

SF Mini Waterfall Pond [Art. 06080100]



# Pond accessories



## SuperFish Pond LED Spots

Bring atmosphere to your garden and pond with these energy saving Pond LED Lights.

- Supplied with 4 interchangeable color lenses and 9 metre cable.
- Adjustable head for adjusting the beam angle.
- Suitable for outdoor and underwater use.

SF Pond LED Light 1x [Art. 06070200] SF Pond LED Light 3x [Art. 06070205]



## SuperFish Flexi-Power

This garden power socket provides a safe, convenient source of electrical power outdoors. Suitable for use at the pond, garden tools, lighting, at the campground and for countless other purposes. With 8 meter cable length and 4 earthed sockets.

SF Flexi-Power [Art. 06070005]

## SuperFish Pond Vac

Compact, lightweight pond vacuum cleaner. A fast and efficient way to clean the pond and dispose of waste.

- 80 Watt pump power.
- 4,000 L/h pump capacity.
- Stem length 1.8 metre.
- 5 metres hose, Ø 32 mm.
- 3 suction mouths.

SF Pond Vac [Art. 06090100]

## SuperFish Automatic Twilight sensor

Twilight sensor turns the LED lights on automatically for atmosphere in and around the pond.

Suitable for Superfish Air LED Disk and Pond LED Spot. Energy saving.

SF Automatic Twilight sensor [Art. 06070225]



## SuperFish Garden Power with timer

The Garden Power socket has 8 meter cable length, 3 grounded outlets and a built-in timer.

The timer can automatically turn the power on and off at a preset time. Besides ease of use, you can save power and extend the life of your bulbs.

SF Garden Power [Art. 06070007]

## SuperFish Outdoor Timer

Fully programmable digital timer, suitable for outdoor use. Makes it easy to turn, for instance, your pond lights on and off automatically!

SF Outdoor Timer DU-NL [Art 06070025]

SF Outdoor Timer FR-BE [Art. 06070030]





## SuperFish Pond Thermometers

It is essential to monitor the temperature of the pond water as this affects how often and how much food fish should be fed.

The SuperFish Pond Thermometer allows you to check the water temperature easily and accurately.

Pond Thermometer [Art. 06090005]

Solar Pond Thermometer [Art. 06090015]



## Floating Feeding Ring

With this feeding ring you can determine the feeding area of your fish. It makes fish feeding better manageable.



SF Pond Feeder Ring  
[Art. 06090505]

## SuperFish Pond Zen Deco

Create an Asian "Feng Shui" atmosphere at your pond with these beautiful decorative ornaments. Approximately 50 cm high the ornaments are made from a special resin, making them easy to move as well as being both water and weather resistant.



Pond Zen Deco Buddha  
[Art. 04043005]



Pond Zen Deco Pagoda  
[Art. 04043010]



Pond Zen Deco Pagoda Black  
[Art. 04043015]



Pond Zen Deco Pagoda Red  
[Art. 04043020]

## SuperFish Pond Lily

Decorative floating water lilies.

Made of high quality materials, very life like, available in 4 different colours.



SF Pond Lily 17 cm Red [Art. 06090365]

SF Pond Lily 17 cm Yellow [Art. 06090370]

SF Pond Lily 17 cm Pink [Art. 06090375]

SF Pond Lily 17 cm Purple [Art. 06090380]

## SuperFish Fish nets

Aluminium pond nets with telescopic handle.

Ideal for catching fish and removing leaves and debris from the pond.

Available in 3 sizes:

Size S: 25x20 cm  
with fixed handle 120 cm.

Size M: 30x30 cm  
with telescopic handle,  
length between 100-180 cm.

Size L: 38x35 cm  
with telescopic handle,  
length between 120-220 cm.

SF Fish net S [Art. 09050120]

SF Fish net M [Art. 09050125]

SF Fish net L [Art. 09050130]



# Protection



## SuperFish Pond Heater

Heater and Ice Guard in one. Energy efficient stainless steel heater of 150 watts with a styrofoam float and 5 m cable.

When your pond freezes over the Pond Heater keeps a hole in the ice, for the necessary exchange of oxygen and harmful gases. Also keeps the pond water marginally warmer.

SF Pond Heater [Art. 06070098]




## SuperFish Anti Ice Device

Prevent ponds completely freezing over with the ice-free set with built in aeration.

Installing the anti ice device before the freezing weather starts will ensure that a hole is kept in the water surface, allowing fresh oxygen to enter the water and harmful gases to escape.

SF Anti-Ice Device [Art. 06090545]



## Pond Defence

Electric pond fence wire (100 or 500 m) to protect fish against herons and cats.

Sufficient to protect 50 or 250 metres of pond perimeter with a double electric fence wire. Easy to install. Additional pegs (10 pieces) available.

Pond Defence 100 m [Art. 06070001]

Pond Defence 500 m [Art. 06070003]

Pond Defence Pin set, 10 pcs [Art. 06070002]

## SuperFish Pond cover net

As well as preventing leaves and any other debris from blowing into the pond and causing water quality problems a pond cover net provides protection from predators such as herons and cats. Includes ground pins.

Pond cover net

3x2 m + 10 pins [Art. 06090699]

4x3 m + 10 pins [Art. 06090700]

4x4 m + 10 pins [Art. 06090705]

5x4 m + 14 pins [Art. 06090710]

6x4 m + 14 pins [Art. 06090715]

10x6 m + 24 pins [Art. 06090718]

Pond cover ground Pin-Set 12 pcs [Art. 06090720]



## SuperFish Bird & Cat Scare

Motion activated sprinkler which detects heat and movement from unwanted visitors such as herons, cats and other intruders.

Simply connect the Bird & Cat Scare to a hose, and whenever it senses an intruder the sprinkler will be activated, driving the intruder away with a powerful spray of water. With adjustable range and sensitivity, is suitable for both large and small ponds.

SF Bird & Cat Scare [Art. 06090150]

This is a publication of:



**AQUADISTRI**  
www.aquadistri.com

Art. 09090035



8 715897 262487