

Free brochure Take it with you!



SuperFish®

Smart Fish Keeping



Everything you need for a successful pond!

SuperFish stands for quality products at attractive prices.

SuperFish was created when ponds became popular in the mid-nineties, almost 30 years of experience can be seen in the products. Numerous innovations ensure reliable operation and plenty of ease of use.

In this brochure you will find information about all SuperFish pond products. Filters, pumps, decorations and accessories. SuperFish has everything you need to optimally enjoy your pond.

Content

Page

Pond filters	3
Pond pumps	10
Algae control	20
Aeration	22
Waterfalls	28
Pond accessories	29
Pond decoration	31
Pond plant accessories	32
Pond protection	34

Combi Clear

Plug & Play

New!

Combi Clear 2000 - 4000 - 6000

The one-plug solution for small ponds. 4-in-1 underwater filter with pump, UVC, filter media and fountain nozzle. Easy and quick to use, no complicated installation with hoses, cables and all kinds of connections. Place the Combi Clear on the bottom of the pond.



Adjustable water flow

Adjustable water flow and head with additional connection for a waterfall.

Fountain

Height-adjustable and tiltable.

Energy-efficient

Energy efficient, so economical to use.

Filter chamber

Filter chamber with activated carbon, CrystalMax and sponge for optimum filtration and easy maintenance.

Stable base

Stable base and large handle, makes placement in the pond easy.

Built-in UVC

Built-in UVC, clarifies your pond water within a fortnight.



Filtermedia included

The Combi Clear is supplied with filter media.

Activated Carbon CrystalMax



Clears your pond within a fortnight

1 2 3 4 5 6 7 8 9 10 11 12 13 14

2 YEAR WARRANTY
JR-ANS GARANTIE



See page 21 for
UV lamp information

Model	Combi Clear 2000	Combi Clear 4000	Combi Clear 6000
Max. pond content	2,000 L	4,000 L	6,000 L
Pump capacity	1,050 L/h	1,950 L/h	2,900 L/h
Max. head	1.4 metre	1.9 metre	2.3 metre
Pump power	12 Watt	26 Watt	45 Watt
UVC	5 Watt	7 Watt	11 Watt
Size	31x23x12 cm	31x23x12 cm	35.3x29.5x15 cm

TopClear

Unique 3-step pond pressure filter

2 YEAR WARRANTY
JR-ANS GARANTIE



See page 21 for
UV lamp information



TopClear

Unique 3-step pond pressure filter.

1. Filter foam provides the mechanical filtering.
2. Bacteria in the Bio-Balls provide the biological purification.
3. Built-in UVC provides control of algae and works to prevent against diseases.

- All connections are on top of the lid. So the filter can be placed everywhere, invisible, beside, under or near the pond.
- A pressure filter can be placed even below the water level.


Built-in UVC

Built-in UVC, clarifies your pond water within a fortnight.



Auto Clean Wash

Auto Clean Wash, for easy cleaning of your filter.



Technical specifications

Model	Max. pond content	Pump capacity	Pump	UVC	Inlet	Outlet	Size
TopClear 5000	5,000 L	2,000 L/h	-	7 Watt	14/20/25 mm	14/20/25 mm	34x34x40 cm
TopClear 10000 Kit	10,000 L	2,900 L/h	45 Watt	9 Watt	25/32/40 mm	25/32/40 mm	35x44x46 cm
TopClear 18000 Kit	18,000 L	5,300 L/h	29 Watt	18 Watt	25/32/40 mm	25/32/40 mm	35x44x58 cm

Pond pressure filters with pump



UV-indicator

With the UV indicator in the lid you can easily check whether the UV lamp is on.



Flow-indicator

The Flow indicator shows the flow rate, so you can see when the filter needs cleaning.



TopClear Sponge replacement set



TopClear Backwash valve

Optional valve for the backwash outlet, makes cleaning easier.

Clears your pond within a fortnight

1 2 3 4 5 6 7 8 9 10 11 12 13 14



Pond Clear Kit

Complete biological pond filter with UVC & Pump

2 YEAR WARRANTY
JR-ANS GARANTIE



Pond Clear 6000

Complete biological pond filter kits with built-in UVC.

- 2 filter chambers to ensure a good biological filtration.
- The first chamber is filled with filter brushes for dirt collection.
- The second chamber contains filter foam and Bio-Balls for biological filtration.
- The UVC-unit is built into the lid.
- 2-year warranty and GS approval.

Pond Clear Outlet connection accessories

Pond Clear Pipe 1.5 m + Knee 90° - Ø 63 mm

Pond Clear Pipe 1.5 m + Knee 90° - Ø 75 mm

Pond Clear Outlet Hose conn. Ø 63 - 50 mm

Pond Clear Outlet Hose conn. Ø 75 - 50 mm



See page 21 for
UV lamp information

Technical specifications

Model	Max. pond content	Pump capacity	Pump	UVC	Inlet	Outlet	Size
Pond Clear 6000	6.000 L	3.500 L/h	-	7 Watt	25/32/40 mm	50 mm	37x27x40 cm

Clears your pond within a fortnight

1 2 3 4 5 6 7 8 9 10 11 12 13 14



Pond Clear 12000

Complete biological pond filter kits with built-in UVC.

- 2 filter chambers to ensure a good biological filtration.
- The first chamber is filled with filter brushes for dirt collection.
- The second chamber contains filter foam and Bio-Balls for biological filtration.
- The UVC-unit is built into the lid.
- 2-year warranty and GS approval.

Pond Clear Sponge replacement set

Pond Clear 6000 Foam 3 pieces	Pond Clear 12000 Carbon Foam
Pond Clear 12000 Foam 2 pieces	Pond Clear Bio Ball 25 pieces

See page 21 for UV lamp information



Technical specifications

Model	Max. pond content	Pump capacity	Pump	UVC	Inlet	Outlet	Size
Pond Clear 12000	12.000 L	5.300 L/h	-	13 Watt	25/32/40 mm	75 mm	55x38x43 cm



Activated Carbon 10 L

Top-quality filter carbon, phosphate free and guarantees optimal results. Super Activated Carbon filter carbon quickly absorbs dyes and toxic substances from the water without altering the neutral pH.



CrystalMax 10 L

Extremely porous filter media made from sintered glass, acts like a sponge for micro-organisms. Harmful substances will be decomposed thanks to aerobic (high oxygen) and anaerobic (low oxygen) filter processes. With CrystalMax, you achieve the best performance per litre of filter volume!



Filter media bags 10 L

Handy bags for filter media.
15x25 cm, 2 pieces
35x52 cm, Coarse
35x52 cm, Fine
50x85 cm, Coarse



Zeolite 10 L

Absorbs harmful substances and ammonia from the water to prevent algae growth and poisoning.



Lava-Rock 10 L

Natural filter media. The coarse structure of Lava-Rock provides outstanding filtration characteristics with optimal biological action.



Filter substrate 10 L

Filter substrate is highly porous, which gives it a large bacteria adhesion surface and optimal biological action.



BioBlocks 10 L

Plastic filter media with a large surface area for the growth of beneficial bacteria, easy to clean.



Bio-Balls 10 L

Designed with the largest bacteria adhesion surface, for the best results. Bio-Balls are easy to clean and are indestructible.



Natural pond salt 10 L

Special, natural salt without any chemical additives. Pond Salt has a positive effect on the health of your fish and the pond ecosystem. Pond Salt helps prevent fish diseases.

Filter media



Filter wool

Ideal for removing dirt particles and organic contamination. The white cotton wool is fine in texture, the green ones are coarser. Replace filter wool once a month.

Filter foam

Suitable for all types of pond filters and available in a range of sizes, filter foam is easy to trim to the right size. Filter foam is easy to clean and should be replaced every year.



Pond-Flow ECO

Energy saving, multi purpose pond pump suitable for use as a fountain or filter pump.



Pond-Flow ECO

- Available in 5 sizes with different pump capacities (700, 1000, 2000, 2900 and 4900 L/h.)
- Includes two different spray heads: a fountain nozzle and a mushroom nozzle, which are easily adjustable in height (Pond-Flow ECO 600 includes a fountain nozzle).
- Energy efficient and economical to run.
- Includes a 10 metre power cable.
- 2 year warranty and TÜV approval.

Fountain spray tube



Adjustable in height and tilt (15°).

Mushroom nozzle



Pond-Flow ECO replace sponge



Fountain nozzle



30 - 65 cm



					
Model	Pond-Flow ECO 600	Pond-Flow ECO 1000	Pond-Flow ECO 2000	Pond-Flow ECO 3000	Pond-Flow ECO 5000
Max. pump capacity	650 L/h	1,000 L/h	2,000 L/h	2,900 L/h	4,900 L/h
Max. head	1.2 metre	1.4 metre	1.9 metre	2.3 metre	3.3 metre
Outlet	20 mm	20/25/32 mm	20/25/32 mm	20/25/32 mm	25/32/40 mm
Power	8 Watt	12 Watt	25 Watt	45 Watt	95 Watt

PondECO

Save up to 50% in purchase costs
and electrical consumption



14
Watt


29
Watt



PondECO 2900 - 4900

**Very economical and compact electronic pond pump,
perfect for small and medium sized filters.**

- Maximum pump capacity with very low energy consumption.
- DCS ceramic drive and gear wheels for minimal wear..
- Multi-step hose connection.
- Thermal overload protection against overheating the motor.
- Suitable for both submerged and dry mounted use.
- Easy to install and virtually maintenance free.
- 2-year warranty and TÜV approval.



Special Vortex
blades that easily
transport dirt
particles.

2 YEAR WARRANTY
JR-ANS GARANTIE



Model	PondECO 2900	PondECO 4900
Max. pump capacity	3,500 L/h	5,300 L/h
Max. head	2.0 metre	3.2 metre
Outlet	25/32/40 mm	25/32/40 mm
Power	14 Watt	29 Watt

PondECO

Save up to 50% in purchase costs and electrical consumption



PondECO 8000 - 12000 - 15000

Powerful synchronous pump with an economical price tag. This makes the PondECO to a pond pump ideal for all types of ponds. Professional quality for the best price!

- 3-year warranty and TÜV approval for quality and safety.
- Pumps large quantities of water with low electricity consumption.
- DCS ceramic drive and gear wheels for minimum wear.
- Vortex blades transport coarse dirt particles up to 8 mm.
- Rotating multi-step hose connection.
- Easy to install and virtually maintenance free.

This pump is not suitable for dry mounted use.



Ceramic drive and gear wheels



Thermo Protection



Dirt particles up to 8 mm

Multi-Step



Rotatable multi-step hose connection
40/32/25 mm

3 YEAR WARRANTY
JAHRE GARANTIE



Model	PondECO 8000	PondECO 12000	PondECO 15000
Max. pump capacity	7,200 L/h	11,300 L/h	14,200 L/h
Max. head	4 metre	4.5 metre	4.1 metre
Outlet	25/32/40 mm	25/32/40 mm	25/32/40 mm
Power	80 Watt	155 Watt	175 Watt

PondECO Plus E

*Maximum pump capacity
with a very low energy consumption*



Pond ECO Plus E

The most economical electronic filter pump, perfect for water movement and filtration with a low power consumption (approx. 5 Watt per 1,000 L/h). The engine offers very good performance and high head. A pond pump that truly deserves a "green label"! Including a 2 year Pick-up & Replace service for maximum security.


- High water flow output with extremely low energy consumption.
- Suitable for both submerged and dry mounted use.
- Multi-step hose connection.

	Ceramic drive and gear wheels
	Run Dry Protection
	Dirt particles up to 6 mm


On-site 48-hour 'Pick-up & Replace' service!

If your pump breaks down it can be a major and costly problem. With the Pick-up & Replace warranty there's no need to worry. We will deliver a new unit within 48 hours free of charge.*

*Monday - Friday only.



Vortex blades



Special Vortex blades that easily transport dirt particles up to 6 mm.



2 YEAR WARRANTY
JR-ANS GARANTIE

Model	PondECO Plus E 3500	PondECO Plus E 5000	PondECO Plus E 8000	PondECO Plus E 10000	PondECO Plus E 12000	PondECO Plus E 15000	PondECO Plus E 20000
Max. pump capacity	3,500 L/h	5,000 L/h	7,800 L/h	9,200 L/h	11,200 L/h	15,000 L/h	19,500 L/h
Max. head	2 metre	3 metre	4.2 metre	5.8 metre	6 metre	6.5 metre	6 metre
Outlet	25/32/40 mm	25/32/40 mm	25/32/40 mm	25/32/40 mm	25/32/40 mm	40/50 mm	40/50 mm
Power	14 Watt	22 Watt	41 Watt	68 Watt	85 Watt	130 Watt	150 Watt

PondECO Plus RC

*Maximum pump capacity
with a very low energy consumption*



Pond ECO Plus E

The PondECO Plus E is now available with a remote control for adjusting the pump capacity. Using the remote control you can activate and deactivate the pump and set the water flow at the desired level (in 10 steps) and thus save energy. Four models available: PondECO Plus RC 5000, 10000, 15000 and 20000. Includes a 2 year Pick-up & Replace service for maximum security.




- Equipped with Remote Control to set the water flow and head at the desired level.
- Robust filter housing minimises the risk of blockage and makes installation and maintenance easy.
- The engine offers very good performance with extremely low energy consumption.
- Suitable for both submerged and dry mounted use.
- Run Dry Protection - when the pump runs dry the pump will stop automatically.
- DCS ceramic drive and Vortex blades.
- 2-year warranty and TÜV approval.

On-site 48-hour 'Pick-up & Replace' service!

If your pump breaks down it can be a major and costly problem. With the Pick-up & Replace warranty there's no need to worry. We will deliver a new unit within 48 hours free of charge.*

*Monday - Friday only.



	Ceramic drive and gear wheels
	Run Dry Protection
	Dirt particles up to 6 mm

Energy saving pumps with remote control




Remote control

Use the remote control to switch the pump on and off and to adjust the flow to the desired level.



Vortex blades



Special Vortex blades that easily transport dirt particles up to 6 mm.

2 YEAR WARRANTY
JR-ANS GARANTIE

Model	PondECO Plus RC 5000	PondECO Plus RC 10000	PondECO Plus RC 15000	PondECO Plus RC 20000
Max. pump capacity	2,000 - 5,000 L/h	4,500 - 9,200 L/h	8,000 - 15,000 L/h	11,000 - 19,500 L/h
Max. head	0.9 - 3.0 metre	1.6 - 5.8 metre	2.5 - 6.5 metre	2.5 - 6.0 metre
Outlet	25/32/40 mm	25/32/40 mm	40/50 mm	40/50 mm
Power	6-22 Watt	13-68 Watt	23-130 Watt	64-150 Watt



New!

Pump & UVC Clean

Regular cleaning of your pond pump and UVC is necessary for efficient operation, to prolong its service life and maintain the warranty. Limescale deposits allow dirt and algae to adhere more easily to your pump, causing reduced performance and more wear. Dirt and limescale on the quartz of your UVC reduce the permeability of UV light hitting the water, reducing efficiency. SuperFish Pump & UVC Clean is a natural acid that dissolves the scale and cleans your pump and quartz sleeves up to aid maximum performance.



New!

2 YEAR WARRANTY
JR-ANS GARANTIE



Pond-Power Circulation pumps

SuperFish Pond-Power circulation pumps with adjustable water flow for pumping or circulating water in fountains, water ornaments, biological filters, etc

- Available in 4 sizes with different pump capacities (200, 450, 650 and 920 L/h.).
- Adjustable water flow.
- Compact design, makes it easy to install the pump wherever needed.
- Designed for fully submerged use.
- Equipped with extra long cable (10 metre).
- 2 year warranty and full instructions enclosed.

Adjustable
water flow



Model	Pond-Power 200	Pond-Power 450	Pond-Power 650	Pond-Power 900
Max. pump capacity	200 L/h	450 L/h	650 L/h	920 L/h
Max. head	0.6 m	0.75 m	1.2 m	1.2 m
Size	52x36x55 mm	53x47x56 mm	82x55x63 mm	82x55x63 mm
Outlet	9 - 12 mm	12 mm	14 - 20 mm	14 - 20 mm
Power	3 Watt	6 Watt	8 Watt	13 Watt

Pond skimmers & Fogger



Pond Skim

The SuperFish Pond Skimmer floats in the pond and sucks in floating debris such as leaves, dust and algae from the water surface for a clear and healthy pond.

- Easy to clean through an easily removable waste basket.
- Low power consumption.
- The Pond Skim 2000 has a pump capacity of 2,000 litre per hour and is suitable for ponds up to 25 m².
- The Pond Skim 3000 has a pump capacity 3,000 of litre per hour and is suitable for ponds up to 40 m².
- 2 year warranty.

Pond Skim replacement sponge



New!

Colour Changing



Pond Fogger

The SuperFish Pond Fogger can easily generate a mysterious fog in your pond. Especially in the evening it creates a special atmosphere, when the low-hanging fog is illuminated by the built-in LEDs and moves slowly over the pond water.

The SuperFish Pond Fogger operates best in a small pond, the effect will be less in a large pond. The SuperFish Pond Fogger floats on the water, the surface water is slowly atomized by an ultrasonic vibration.

No chemicals are involved, so completely environmentally friendly and safe for your fish. Equipped with 10 metre cable and fully waterproof (IP68).



		
Model	Pond Skim 2000	Pond Skim 3000
Max. pump cap.	2.000 L/h	3.000 L/h
Pond size	25 m ²	40 m ²
Power	25 Watt	40 Watt



Spiral pond hose

Special reinforced pond hose, guaranteed kink-proof for connecting pond pumps on pond filters, waterfalls and figures.


Available in hose diameters of 20 mm, 25 mm, 32 mm, 40 mm and 50 mm and in lengths of 5, 10 and 30 metres.



Reinforced pond hose

High-quality armoured hose with a smooth inner wall for an easier connection of pond pumps on pond filters, waterfalls and -figures.

Available in hose diameters of 20 mm, 25 mm, 32 mm, 40 mm and 50 mm and in lengths of 5, 10 and 30 metres.



Spiraal hose clamps

Suitable for securing spiral pond hose onto fittings.

Equipped with convenient wing screw, packed per 2 pieces. Clamp diameter: 19-22 mm, 24-28 mm, 30-34 mm, 37-42 mm and 47-52 mm.



Clamps for reinforced hoses

Suitable for securing pond hose onto fittings.

Stainless Steel clamps, fitted with a wing nut for easy tightening, a screwdriver is not necessary. Clamp diameter: 16-25 mm, 21-38 mm and 27-52 mm.

2 YEAR WARRANTY
JR-ANS GARANTIE



ALU Tech UVC

Aluminium UVC suitable for large ponds. Available in 2 types: ALU Tech UVC 40 Watts for ponds up to 40,000 liters and 75 Watts for ponds up to 75,000 liters. Can be installed with both PVC glue connection (Ø 50/63 mm) or Multi-step hose connection (Ø 40/32/25 mm).

- Up to 35% more efficiency by reflection of the UV light.
- T5 High Output UV lamp for optimal disinfection.
- UV lamp with a guaranteed effective operation of 8000 hours.
- Easy to install due to the Double Head inlet and Triple Head outlet connections.
- 2 year warranty, made in the Netherland.



See page 21 for
UV lamp information

Model	ALU Tech UVC 40 W	ALU Tech UVC 75 W
Max. pump capacity	20,000 L/h	20,000 L/h
Max. pond content	40,000 L	75,000 L
Inlet and Outlet	25/32/40-50/63 mm	25/32/40-50/63 mm
Lamp	High Power T5	High Power T5
Power	40 Watt	75 Watt

Triple Head Outlet connection



Double Head Inlet connection


UV-replacements lamps

Always replace UV lamps annually for best performance

UV Clear PL-replacement lamps G23

Model	UV Clear PL-lamp 5 Watt	UV Clear PL-lamp 7 Watt	UV Clear PL-lamp 9 Watt	UV Clear PL-lamp 11 Watt	UV Clear PL-lamp 13 Watt	UV Clear PL-lamp 18 Watt	UV Clear PL-lamp 24 Watt
Length	100 mm	140 mm	165 mm	225 mm	225 mm	225 mm	320 mm
	Fitting G23	Fitting G23	Fitting G23	Fitting G23	Fitting G23	Fitting G23	Fitting G23

UV Clear PL-replacement lamps 2G11

Model	UV Clear PL-lamp 18 Watt	UV Clear PL-lamp 24 Watt	UV Clear PL-lamp 36 Watt	UV Clear PL-lamp 55 Watt
Length	215 mm	320 mm	415 mm	535 mm
	Fitting 2G11	Fitting 2G11	Fitting 2G11	Fitting 2G11

UV Clear TL-replacement lamps

Model	UV Clear TL-lamp 6 Watt	UV Clear TL-lamp 8 Watt	UV Clear TL-lamp 15 Watt	UV Clear TL-lamp 25 Watt	UV Clear TL-lamp 30 Watt	UV Clear TL-lamp 55 Watt
Length	225 mm	300 mm	450 mm	450 mm	900 mm	900 mm
	Fitting T5	Fitting T5	Fitting T8	Fitting T8	Fitting T8	Fitting T8

Lamp guide

Find the right lamp for your device

You should replace the UV lamp annually for optimum performance. Although the lamp may still light up it no longer emits the right UV radiation. Our UVC units contain PL lamps, a TL T8 lamps, or the latest generation TL T5 lamps.
Note: Always ensure when changing the bulb the quartz sleeve is clean and free from limescale – this will allow you new bulb to get to work much more efficiently.



Combi Clear	Lamp	Fitting	Code
Combi Clear 2000	UV PL-lamp 5 Watt	G23	06011005
Combi Clear 4000	UV PL-lamp 7 Watt	G23	06011010
Combi Clear 6000	UV PL-lamp 11 Watt	G23	06011020



TopClear	Lamp	Fitting	Code
TopClear 5000	UV PL-lamp 7 Watt	G23	06011010
TopClear 10000	UV PL-lamp 9 Watt	G23	06011015
TopClear 15000	UV PL-lamp 11 Watt	G23	06011020
TopClear 18000	UV PL-lamp 18 Watt	G23	06010140



Pond Clear 3000/6000	Lamp	Fitting	Code
Pond Clear 3000	UV PL-lamp 5 Watt	G23	06011005
Pond Clear 6000	UV PL-lamp 7 Watt	G23	06011010



Pond Clear 12000/24000	Lamp	Fitting	Code
Pond Clear 12000	UV PL-lamp 13 Watt	G23	06011023
Pond Clear 24000	UV PL-lamp 24 Watt	G23	06011033



ALU Tech	Lamp	Fitting	Code
ALU Tech 40 W	SF TECH UV TL-T5 40 Watt	SF TECH TL-T5 40W	06010085
ALU Tech 75 W	SF TECH UV TL-T5 75 Watt	SF TECH TL-T5 75W	06010090






New!

Pond Air-Kit

Outdoor pond aeration kit, complete with air tube and air stones. In the summer, an air pump ensures sufficient oxygen in your pond. During the winter an air pump helps to exchange gasses and keeps an existing ice hole open. By placing also an air stone in your filter, it will improve the biological filtration and growth of beneficial bacteria.




- Air pump with 2.5 metres of grounded cable
- Air tube and air stones (ø 20 mm)
- Water resistant (IPx4) and TÜV-GS approval with 2-year warranty
- Free spare diaphragms and user manual included



Place an air stone inside your filter



2 YEAR WARRANTY
2-JAHRE GARANTIE

				
Model	Air-Kit mini	Pond Air-Kit 1	Pond Air-Kit 2	Pond Air-Kit 4
Max. pump capacity	78 L/h	96 L/h	240 L/h	600 L/h
Pressure	0.015 MPa	0.015 MPa	0.020 MPa	0.012 MPa
Power	1.5 Watt	2 Watt	4 Watt	8 Watt
Outlets	1	1	2	4
Air tube	5 metre	7.5 metre	15 metre	25 metre
Air stones	1	1	2	4



Air pumps

Oxygen, essential for a healthy pond






Air-Box

Complete aeration kit supplied in a handy box for protection against the elements.

- Provides fresh oxygen in the water.
- Keeps ponds healthy in the summer and ice-free in the winter.
- Supplied complete with air hose and 1, 2 or 4 air stones.
- Includes spare diaphragm.



			
Model	Air-Box 1	Air-Box 2	Air-Box 4
Max. pump capacity	96 L/h	240 L/h	600 L/h
Pressure	0.015 MPa	0.020 MPa	0.012 MPa
Power	2 Watt	4 Watt	10 Watt
Outlets	1	2	4
Air tube	7.5 m	2x 7.5 m	4x 7.5 m
Air stones	1	2	4

Air pumps



Koi-Flow air pumps







Pond air pump for Koi and large ponds. Available in three different sizes with an output ranging from 20 to 60 liters of air per minute at a low energy consumption. The rugged construction of the air pump ensures that the pump produces little noise and has a long lifespan.

- High air output using minimum power consumption.
- Low noise and long life.
- Includes spare diaphragm.
- 2 year warranty.

Koi-Flow Aeration set

The Koi-Flow air pumps are also available as complete kits with six XXL air stones and 50 m air hose. The air stones allows you to add air in several different places in the pond and pond filter thereby optimising oxygen levels. Available in three different sizes.

2 YEAR WARRANTY
JR-ANS GARANTIE

						
Model	Koi-Flow 20	Koi-Flow 30	Koi-Flow 60	Koi-Flow 20 Set	Koi-Flow 30 Set	Koi-Flow 60 Set
Max. pump capacity	3,500 L/h	5,000 L/h	7,800 L/h	9,200 L/h	11,200 L/h	15,000 L/h
Pressure	2 metre	3 metre	4.2 metre	5.8 metre	6 metre	6.5 metre
Power	14 Watt	22 Watt	41 Watt	68 Watt	85 Watt	130 Watt

Aeration accessories



Air stones

SuperFish air stones are available in a range of different shapes and sizes.

Air stones gradually become clogged over time due to dirt, etc and should be replaced every year.



LED Air Stone

This disc-shaped airstone enriches the water in your pond with oxygen and also bring atmosphere in the pond with the colourful LED lights.

With the optional SuperFish Twilight Sensor (page 35) you can switch the LED Air Stone on and off automatically.



Flexi-Diffusers

Flexible diffusers that can be easily bent, for example in corners, around stones, etc.

Provides air bubbles in the pond wherever you want.

In lengths of 125 mm, 300 mm and 600 mm.



Air tubes

Transparent air tubes for connecting air stones to air pumps.

Available in transparent white on a roll of 2.5 and 25 metres. Or available per metre in transparent white and green.



Reinforced airtube

8 mm thick and 10 m long reinforced air hose, which can not kink.

Air-Connector

Plastic connector for coupling a reinforced air tube (Ø 8 mm) on to a normal air tube (Ø 4 mm).



Air-Set

Complete Air-set with 2.5 meter air tube with tube connectors (Y-L-T), two air valves for trimming or closing air supply and a non-return valve for the safe installation of the pump below water level.

Aeration accessories



Air-Distributors

Distributors to distribute the air from the air pump over several air tubes.
As a 6, 12 and 18-way version with an 18 mm inlet and 4 mm outlets. The outlets are equipped with taps, so that you can control the supply. Made of stainless steel, which will not rust and therefore lasts longer.

Air accessories

Useful accessories for air tubes.
Valves for connecting or trimming air supply and a non-return valve for the safe installation of the pump below water level.



Air valves

Air valves for splitting, regulating and shutting off the air supply.



Waterfall Filter

This handy waterfall brings life in the pond. You can create multiple waterfalls if you place one above another. Complete with Multi-step hose adapter, filter media and fixation for pond liners. (35x42x25 cm).

< 42 cm >



< 20 cm >

Mini-Waterfall Filter

Basic 20 cm wide waterfall. You can easily connect several boxes together. Complete with hose connection and filter sponge. (LxBxH 25x20x25 cm).





Fish nets

Handy nets for catching fish and removing dirt from the pond.

The medium and large nets have a telescopic aluminum handle and are available with fine and coarse mesh. Coarse-meshed nets are suitable for catching fish and coarse dirt. With fine-meshed nets you can remove fine dirt and algae from the pond. Available in 3 sizes:

- S: 25x20 cm Fine-meshed net with fixed handle (120 cm).
 - M: 30x30 cm Fine- or coarse-meshed net with telescopic handle (100-180 cm).
 - L: 38x35 cm Fine- or coarse-meshed net with telescopic handle (120-220 cm).
- Pond net Round Ø 20 cm, fine-meshed net with fixed handle (150 cm).



Pond Feeder Ring

With this feeding ring you can determine the feeding area of your fish. It makes fish feeding better manageable.



Pond thermometer

It is essential to monitor the temperature of the pond water as this affects how often and how much food fish should be fed.

The SuperFish Pond Thermometer allows you to check the water temperature easily and accurately.



Pond Multi LED

The Pond Multi LED is a waterproof LED lighting (IP68) that lets you create beautiful light effects in your pond, waterfall and garden. With the remote control, you can easily choose between six colours or the automatic changing colour mode, for an attractive pond or garden. Easy to install with 8 meter long cable.

- The safe alternative to LED strips, which are usually not suitable for outdoor use.
- Can be placed anywhere in the garden, behind waterfalls, under pond bridges or in the pond.
- Suitable for outdoor and underwater use.
- Fully waterproof (IP68) and 100% safe to use.
- Dimmable LED lighting with six colors; blue, green, yellow, orange, red, and white.
- Plug & Play with remote control, 2 fastening clips and 8 meter cable.
- Available in lengths of 30, 60 and 90 cm.





Pond-Vac

A clean pond is a healthy pond, use the Pond-Vac weekly to do the necessary water change, while vacuuming the debris from the pond bottom and walls.

- Stainless steel impeller blades to break adsorbed particles into pieces.
- 80 Watt pump power.
- 4,000 L/h pump capacity.
- Stem length 1.8 metre.
- 5 metres hose, Ø 32 mm.
- 3 suction mouths.





Deco Filters

Decorative water ornaments to be placed on the edge of the pond, in the shape of an amphora, Carp and Frog.

It can be used in two ways: As an outlet for your pressure filter, by connecting a hose (Ø 40 mm) to the outlet of the pressure filter there's no ugly hose hanging on the pond edge. Or as a mini-filter for smaller ponds, fill the ornament with filter media and connect it to a pump and it works as a simple biological filter. The removable cover makes it easy to clean the filter.

Made from a durable resin, complete with filter sponge and multi-step hose connection (Ø 40/32/25 mm).



Pond Zen Deco

Create an Asian "Feng Shui" atmosphere at your pond with these beautiful decorative ornaments.

Approximately 50 cm high the ornaments are made from a special resin, making them easy to move as well as being both water and weather resistant.





Flexi Plant Basket

These flexible baskets are made from a permeable, dense and durable material.

The flexibility of the material ensures the basket remains stable wherever it is placed. The baskets prevent the roots of aquatic plants from becoming too large and invasive. Round model Ø 25x20 cm, square model 18x18x18 cm, 25x25x25 cm and 30x30x30 cm.



Pond baskets

Pond baskets for pond plants and oxygen plants. These baskets are fine meshed so they can be filled with pond soil without soil leakage.

In various sizes and models: Square 11x11 cm, 19x19 cm, 23x23 cm, 28x28 cm and 35x35 cm, Round Ø 13 cm and Ø 22 cm, Contour and Pond basket Lily Ø 40 cm.




Floating Pond basket

Decorative floating basket for plants in the pond.

Fill the basket with substrate and plants and place them in the pond. It offers a shelter or shade for your fish. Also great for koi ponds.

Available in Ø 22 cm and XL version Ø 30 cm.



Floating Hyacinth

Decorative lifelike floating hyacinth.

The hyacinth is made of plastic and the roots are made of cotton. Fish can spawn their eggs in these cotton filaments.



Pond basket cloth

Special jute fabric for lining pond baskets to prevent fine pond soil from leaking into the pond water from the basket.



Packed by 5 pieces, size 60 x 60 cm.



Bird & Cat Sprinkler

Sprinkler with motion sensor. Protects your pond against intruders such as cats and herons, chasing them away with a harmless water jet and flash light (LED). Easy installation, charge the batteries and connect the Bird & Cat Sprinkler to a garden hose and it is ready for use.



- Environmentally friendly, operates on solar power.
- Solar panel, 3 rechargeable AA-batteries (NiMH) and USB cable included.
- Batteries can also be charged with the USB cable in periods without sunshine.
- Infrared sensor with adjustable range up to 10 metres.
- The sprinkler is adjustable to a maximum of 8 metres and a width of 16 metres.
- Universal connector for easy garden hose connection.
- Splashproof (IP44) with 1 year warranty.



Bird & Cat Protector

Motion activated ultrasonic pond protector. Detecting unwanted visitors, harmlessly chasing them away with an alarm, ultrasonic sound and/or flashing lights (LED). Easy installation: Place the Bird & Cat protector near your pond, charge the batteries and select an ultrasonic sound frequency.

- Environmentally friendly, operates on solar power.
- Built-in Solar panel.
- 3 rechargeable AA-batteries (NiMH) and USB cable included.
- Batteries can also be charged with the USB cable in periods without sunshine.
- Infrared sensor with adjustable range up to 8 metres.
- Choice of 5 alarm settings.
- Ultrasonic sound is not or barely audible for people.
- Splashproof (IP44) with 1 year warranty.



Pond protection



Pond Cover Net

As well as preventing leaves and any other debris from blowing into the pond and causing water quality problems a pond cover net provides protection from predators such as herons and cats. Includes ground pins.

In various sizes: 3x2 metres, 3x4 metres, 4x4 metres, 5x4 metres, 6x4 metres and 10x6 metres.



Bird Reflector

Protect your precious fish against herons.

The reflective surface of this decorative 15 cm floating ball deters herons, so they no longer dare to visit your pond. With the included wire and weight you can fix the ball in the pond or hang it. By using multiple balls you increase the shock effect.

Pond Heater

Heater and Ice Guard in one. Energy efficient stainless steel heater of 150 watts with a styrofoam float and 5 metre cable.

When your pond freezes over the Pond Heater keeps a hole in the ice, for the necessary exchange of oxygen and harmful gases. Also keeps the pond water marginally warmer.





No part of this publication may be reproduced, stored or published in any form, be it electronic, mechanical, photocopying or any other way, without prior written permission of the publisher. Despite all the care given to the text, the publisher does not accept liability for any damage that may result from any error that could be printed in this leaflet. We are not responsible for any typographical errors.

For free, take it with you!

This is a publication of:
www.aquadistri.com

